

Safety data sheet according to 29 CFR 1910.1200

SURE-SET[™] PE part A

	GHS Product identifier:	SURE-SET [™] PE part A
	CAS:	Bis-[4-(2,3-epoxipropoxi)phenyl]propane
	Other means of identification:	1675-54-3
	Not applicable (N/A)	
2	Recommended use of the cher	nical and restrictions on use:
-	Relevant uses: Adhesive for cons	
	For industrial and consumer uses	
	Uses advised against: All uses no	ot specified in this section or in section 7.3
.3	Name, address, and telephone Aerosmith Fastening System 5621 Dividend Road, Indianapolis Tel: 800.528.8183 Fax: 317.390.6980 email:info@aerosmithfastening.com www.aerosmithfastening.com	
_	0	
.4	0 51	hemtrec:703-527-3887 (Outside USA).
.4		nemtrec: 1-800-424-9300 (Within Continental (USA);
EC	TION 2: HAZARD(S) IDENTIF	-ICATION
.1	Classification of the substance	or mixture:
	29 CFR 1910.1200:	
	Classification of this product has Eye Irrit. 2A: Eye irritation, Categ Skin Irrit. 2: Skin irritation, Catego Skin Sens. 1: Sensitisation, skin,	ory 2, H315
.2	Label elements:	
	29 CFR 1910.1200:	
	Warning	
	Hazard statements:	
	Eye Irrit. 2A: H319 - Causes serie Skin Irrit. 2: H315 - Causes skin i Skin Sens. 1: H317 - May cause	irritation.
	Precautionary statements:	
	P302+P352: IF ON SKIN: Wash	otective clothing/respiratory protection/eye protection/protective footwear.
	do. Continue rinsing. P501: Dispose of the contents/co Substances that contribute to t	ontainers according to the local, state and federal regulations. the classification
		propane (CAS: 1675-54-3); Formaldehyde, oligomeric reaction products with 1-chloro-2,3- 9003-36-5); 1,6-bis(2,3-epoxypropoxy)hexane (CAS: 16096-31-4)



Date of compilation: 8/2/2024 Version: 1

SECTION 2: HAZARD(S) IDENTIFICATION (continued)

Federal Hazardous Substances Act (FHSA) >> Irritant (Eyes)

May irritate eyes. Do not get in eyes. Keep out of reach of children.

FIRST AID TREATMENT

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do and continue rinsing. If eye irritation persists: Get medical advice/attention.

Contains : Bis-[4-(2,3-epoxipropoxi)phenyl]propane (CAS 1675-54-3); Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (CAS 9003-36-5); 1,6-bis(2,3-epoxypropoxy)hexane (CAS 16096-31-4).

Federal Hazardous Substances Act (FHSA) >> Strong sensitizer (dermal)

May cause an allergic skin reaction. Wear gloves. Keep out of reach of children.

FIRST AID TREATMENT

If on skin, rinse well with water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Contains : Bis-[4-(2,3-epoxipropoxi)phenyl]propane (CAS 1675-54-3); Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (CAS 9003-36-5); 1,6-bis(2,3-epoxypropoxy)hexane (CAS 16096-31-4).

Avoid generating mist Avoid skin contact Avoid breathing substance Avoid ingestion.

2.3 Hazards not otherwise classified (HNOC):

Not applicable (N/A)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Chemical description: Mixture composed of additives, pigments and resins

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification	Concentration
		Bis-[4-(2,3-epoxipropoxi)phenyl]propane	E0 <7E %
CAS:	1675-54-3	Eye Irrit. 2A: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	50 - <75 %
	0000.00.5	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	40 405 %
CAS:	9003-36-5	Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	10 - <25 %
	10000 01 1	1,6-bis(2,3-epoxypropoxy)hexane	40 <25 %
CAS:	16096-31-4	Eye Irrit. 2A: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	10 - <25 %

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	% (w/w) >=5: Skin Irrit. 2 - H315
CAS: 1675-54-3	% (w/w) >=5: Eye Irrit. 2 - H319

3.2 Mixtures:

Non-applicable

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:



Date of compilation: 8/2/2024

SECTION 4: FIRST-AID MEASURES (continued)

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product. By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

Version: 1

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802. Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.



Date of compilation: 8/2/2024 Version: 1

SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Maximum Temp.: 86 °F

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

US. ACGIH Threshold Limit Values (2022):

Identification		C	ccupational exposure limits
Talc	alc		2 mg/m ³
CAS: 14807-96-6		TLV-STEL	
ALIFORNIA- TABLE	AC-1 PERMISSIBLE EXPOSURE LIMITS FO	R CHEMICAL CONTAMINA	NTS
ALIFORNIA- TABLE	AC-1 PERMISSIBLE EXPOSURE LIMITS FC		
ALIFORNIA- TABLE	AC-1 PERMISSIBLE EXPOSURE LIMITS FC		NTS: ccupational exposure limits
CALIFORNIA- TABLE /			

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection



Date of compilation: 8/2/2024 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations an OSHA standard 1910.134 (29CFR)
C Specific protec	ion for the hands	
Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposur to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer's use limitations and OSHA standard 1910.138 (29CFR)
D Eye and face p	rotection	
Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instruction: Use if there is a risk of splashing. Use this PPE in accordance with manufacturer use limitations and OSHA standard 1910.133 (29CFR)
E Bodily protection	n	
Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration.
	Anti-slip work shoes	Replace before any evidence of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
*	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	◎ + ▼	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Use category 23C air-purifying respirator equipped with a full facepiece and combination cartridges or category 23C powered airpurifying respirator equipped with a tight-fitting facepiece and combination cartridges.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D **40 CFR Part 59 (VOC):**

. ,	
V.O.C.(weight-percent):	0 % weight
V.O.C. at 68 °F:	0 kg/m³ (0 g/L)
California Air Resources Board (CAF	RB) - VOC Regulatory:
V.O.C.(weight-percent):	0 % weight
V.O.C. at 68 °F:	0 kg/m³ (0 g/L)
South Coast Air Quality Managemen	t District (AQMD) - VOC Regulatory:
V.O.C.(weight-percent):	0 % weight
V.O.C. at 68 °F:	0 kg/m³ (0 g/L)

- CONTINUED ON NEXT PAGE -



Date of compilation: 8/2/2024 Version: 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

0 % weight

0 kg/m³ (0 g/L)

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

V.O.C.(weight-percent): V.O.C. at 68 °F:

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical proper	ies:
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 68 °F:	Liquid
	Appearance:	Paste
	Color:	White
	Odor:	Characteristic
	Odour threshold:	Not applicable (N/A) *
	Volatility:	
	Boiling point at atmospheric pressure:	347 °F
	Vapour pressure at 68 °F:	<500 Pa
	Vapour pressure at 122 °F:	721.86 Pa (0.72 kPa)
	Evaporation rate at 68 °F:	Not applicable (N/A) *
	Product description:	
	Density at 68 °F:	Not applicable (N/A) *
	Relative density at 68 °F:	1.25
	Dynamic viscosity at 68 °F:	Not applicable (N/A) *
	Kinematic viscosity at 68 °F:	Not applicable (N/A) *
	Kinematic viscosity at 104 °F:	>20.5 mm²/s
	Concentration:	Not applicable (N/A) *
	pH:	7 (at 10 %)
	Vapour density at 68 °F:	Not applicable (N/A) *
	Partition coefficient n-octanol/water 68 °F:	Not applicable (N/A) *
	Solubility in water at 68 °F:	Not applicable (N/A) *
	Solubility properties:	Insoluble in water
	Decomposition temperature:	Not applicable (N/A) *
	Melting point/freezing point:	Not applicable (N/A) *
	Flammability:	
	Flash Point:	Non Flammable (>199.4 °F)
	Flammability (solid, gas):	Not applicable (N/A) *
	Autoignition temperature:	752 °F
	Lower flammability limit:	Not applicable (N/A) *
	Upper flammability limit:	Not applicable (N/A) *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Not applicable (N/A) *
	Oxidising properties:	Not applicable (N/A) *
	*Not applicable (N/A) due to the nature of the product, not providing	g information property of its hazards.



Date of compilation: 8/2/2024 Version: 1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)			
Corrosive to metals:	Not applicable (N/A) *		
Heat of combustion:	Not applicable (N/A) *		
Aerosols-total percentage (by mass) of flammable components: Other safety characteristics:	Not applicable (N/A) *		
Surface tension at 68 °F:	Not applicable (N/A) *		
Refraction index:	Not applicable (N/A) *		
*Not applicable (N/A) due to the nature of the product, not provid	ling information property of its hazards.		

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

10.5

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Incompatible materials:				

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):



Date of compilation: 8/2/2024 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Talc (3); Bis-[4-(2,3-epoxipropoxi)phenyl]propane (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not applicable (N/A)

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	LD50 oral	>5000 mg/kg	
CAS: 9003-36-5	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	LD50 oral	>5000 mg/kg	
CAS: 1675-54-3	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L	
1,6-bis(2,3-epoxypropoxy)hexane	LD50 oral	>5000 mg/kg	
CAS: 16096-31-4	LD50 dermal	>5000 mg/kg	
	LC50 inhalation		

SECTION 12: ECOLOGICAL INFORMATION

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification	Concentration	Species	Genus
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	LC50 2 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 1675-54-3	EC50 1.7 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 9.4 mg/L (72 h)	Scenedesmus subspicatus	Algae

Chronic toxicity:

Identification	Concentration	Concentration Species	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	NOEC Not applicable (N/A)		
CAS: 1675-54-3	NOEC 0.3 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:



Date of compilation: 8/2/2024 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	De	egradability	Biodegradability	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	BOD5	Not applicable (N/A)	Concentration	Not applicable (N/A)
CAS: 1675-54-3	COD	Not applicable (N/A)	Period	28 days
	BOD5/COD	Not applicable (N/A)	% Biodegradable	5 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential		
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	BCF	31	
CAS: 1675-54-3	Pow Log	3	
	Potential	Moderate	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	Koc	450	Henry	Not applicable (N/A)
CAS: 1675-54-3	Conclusion	Low	Dry soil	Not applicable (N/A)
	Surface tension	Not applicable (N/A)	Moist soil	Not applicable (N/A)

Insoluble in water

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Wastes generated by normal household activities (e.g., routine house and yard maintenance) are excluded from the definition of hazardous waste (Title 40 of the Code of Federal Regulations Part 261.4)

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Notice to users: Disposal restrictions apply. No release to water. Waste may only be disposed of via incineration or landfil.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:



of compilation: 8/2/2024	Version: 1	
ECTION 14: TRANSPO	RT INFORMATION (continued	1)
<u>.</u>	UN number:	UN3082
		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
14.3	Transport hazard class(es): Labels:	9 9
14.4	Packing group, if applicable:	
14.5		Yes
14.6		ser needs to be aware of, or needs to comply with, in connectior either within or outside their premises
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
		en transporting aboard a vessel, the requirements of this subchapter not apply to non-bulk packagings transported by motor vehicles, rail
14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	
Transport of danger	,	
Transport of danger	• •	
With regard to IMDG 4	1-22:	
14.1		UN3082
		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
14.3	Transport hazard class(es): Labels:	9 9
× × 14.4		9
14.5		Yes
14.6	•	ser needs to be aware of, or needs to comply with, in connection
14.0		either within or outside their premises
	Special regulations:	
	EmS Codes:	F-A, S-F
	Physico-Chemical properties:	see section 9
	Limited quantities:	5 L
	Segregation group:	Not applicable (N/A)
14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	
Transport of dangero		
With regard to IATA/IC		
		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
14.3	Labels:	9 9
14.4		
14.5	•	Yes
14.6	with transport or conveyance	ser needs to be aware of, or needs to comply with, in connection either within or outside their premises
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:



Date of compilation: 8/2/2024 Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

- CALIFORNIA LABOR CODE - The Hazardous Substances List: Not applicable (N/A)

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Birth defects or other reproductive harm: Not applicable (N/A)

- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) - Cancer: Not applicable (N/A)

- CANADA-Domestic Substances List (DSL): Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3); Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5); 1,6-bis(2,3-epoxypropoxy)hexane (16096-31-4) - CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)

- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantities: Not applicable (N/A)

- Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)

- Massachusetts RTK - Substance List: Not applicable (N/À)

- Minnesota - Hazardous substances ERTK: Not applicable (N/A)

- New Jersey Worker and Community Right-to-Know Act: Not applicable (N/A)
- New York RTK Substance list: Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)
- NTP (National Toxicology Program): Not applicable (N/A)
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)

- Pennsylvania Worker and Community Right-to-Know Law: Not applicable (N/A)

- Rhode Island - Hazardous substances RTK: Not applicable (N/A)

- The Toxic Substances Control Act (TSCA) : Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3) ; Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol (9003-36-5) ; 1,6-bis(2,3-epoxypropoxy)hexane (16096-31-4)

- Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Not applicable (N/A)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

Other information:

This product contains a substance subject to a Significant New Use Rule (SNUR) at 40 C.F.R. 721.5575. The U.S. Environmental Protection Agency (EPA) identified the following hazards: reproductive effects; may cause cancer; and may be toxic to aquatic organisms. These hazards do not meet U.S. hazard classification requirements.

Due to EPA's issuance of the SNUR, this product is subject to TSCA Section 12(b) export notification.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Advice related to training:

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:



Date of compilation: 8/2/2024 Version: 1

SECTION 16: OTHER INFORMATION (continued)

IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer Date of compilation: 8/2/2024

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).